


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.


62.57



HARDY PERENNIALS

AND

ROCK PLANTS



WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON

NEW JERSEY


SPRING 1931

TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.



HARDY PERENNIALS AND ROCK PLANTS

Per Doz.—Per 100

ACHILLEA

- filipendulina.** A strong growing species with large, flat heads of yellow flowers. 3 ft. June-July. 1.25 8.00
- Ptarmica Boule de Nieg.** Sprays of small, double white flowers. 12 to 18 inches. June-September. 1.25 8.00
- “ **The Pearl.** A stronger growing variety than the foregoing, bearing larger flowers. 2 ft. June-September. 1.25 8.00
- tomentosa.** A dwarf rock plant, forming neat cushions of foliage which are hidden during May and June by heads of bright yellow flowers. 1.50 10.00

AETHIONEMA (Lebanon Candytuft)

- iberideum.** A very free flowering trailer for the rock garden. It has gray, glaucous leaves and the white flowers are produced in terminal clusters. April-May. 2.00 12.00

AGROSTEMMA

- coronaria.** Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-July. 1.25 8.00
- “ **alba.** A white variety of the preceding. 1.25 8.00

AJUGA

- genevensis.** Short spikes of intense blue flowers. A good rock plant. 6 in. June. 1.50 10.00

ALYSSUM

- argenteum.** Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June. 1.25 8.00
- montanum.** A rare Alpine of compact though trailing habit; its dark green leaves are covered with white encrustations and each of its many stems terminates in a truss of bright yellow flowers in May and June. 2.00 12.00
- saxatile compactum (Gold Dust)** One of the most popular of spring flowering plants. Masses of yellow flowers in April and May. 1.25 8.00

	Per Doz.—Per 100	
ANCHUSA		
<i>italica</i> Dropmore Variety. Tall spikes of gentian-blue flowers, resembling giant forget-me-nots. 4 ft. June-July.	1.50	10.00
“ Opal. Similar to the last variety but having pale blue flowers.	1.50	10.00
<i>myosotidiflora.</i> A distinct species producing masses of bright-blue, forget-me-not flowers in April and May. 1 ft.	2.50	15.00
ANEMONE		
<i>Pulsatilla alba.</i> Large cup-shaped, white flowers, filled with golden anthers, borne singly on stems 1 ft. high. April-May.	1.50	10.00
ANTHEMIS		
<i>tinctoria</i> Kelwayi. Our stock of this variety has been raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft. June-September.	1.25	8.00
AQUILEGIA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.		
<i>chrysantha.</i> A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June.	1.50	10.00
<i>nivea grandiflora.</i> Large pure white flowers. Strong grower. 2 ft. May-June.	1.25	8.00
Mrs. Scott Elliott Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May-June.	1.50	10.00
ARABIS		
<i>alpina.</i> (Rock Cress) A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. 9 inches. April-May.	1.25	8.00

Per Doz.—Per 100

ARENARIA (Sandwort)

laricifolia. White flowers freely borne on short, wiry stems. 6 inches. May-June.	2.00	12.00
montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May.	2.00	12.00

ARMERIA (Thrift, Sea Pink)

maritima Lauchena. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. 6 inches.	1.50	10.00
---	------	-------

ARTEMISIA

Abrotanum (Southwood, Old Man) A favorite old fashioned garden plant of bush-like habit, having fine foliage possessing a refreshing fragrance. 2-3 ft.	1.50	10.00
lactiflora. Fragrant spirea-like plumes of creamy white flowers are borne on stout, erect stems from August to October. 5-6 ft.	1.25	8.00

ASCLEPIAS

tuberosa. Strong stems terminating in clusters of bright orange red flowers. 2½ ft. May-June.	1.50	10.00
--	------	-------

ASTER (Michaelmas Daisy, Starwort) As a plant of general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties and strongest spikes are obtained if the plants are divided annually.

Bluebeard. Very large, heliotrope flowers on strong, erect stems. 4 ft. September-October.	1.50	10.00
Climax. Large pale mauve flowers with yellow centers are profusely borne on long straight stems.	1.50	10.00
Coerulea. Large pale blue flowers in pyramidal heads. 4-5 ft. September-October.	1.50	10.00
Feltham Blue. Large clear blue flowers. 4 ft. September.	1.25	8.00
Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in.	1.25	8.00

	Per Doz.—Per 100	
ASTERS (Continued)		
Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October.	1.50	10.00
Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October.	1.25	8.00
The Queen. Very large flowers borne in loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September.	1.25	8.00
St. Egwyn. This variety forms a compact bush, and during September the foliage is entirely hidden by large, clear pink flowers. One of the best asters in cultivation. 2½ ft.	1.25	8.00
tartaricus. A distinct species from Siberia. Large violet flowers are carried on tall, leafy stems. 6 ft. November.	1.50	10.00
White Climax. A pure white form of Climax.	1.50	10.00
N. A. Barr's Pink. A variety of recent introduction, bearing large, bright pink flowers. 4 ft. September-October.	2.00	12.00
“ “ Lil Fardel. Large, clear pink flowers. 4 ft. September-October.	1.50	10.00
ASTER, DWARF ALPINE		
alpinus. Large, bluish purple flowers. 9 inches. May-June.	1.50	10.00
“ albus. A white variety of the foregoing.	1.50	10.00
subcoeruleus. Large violet-purple flowers freely borne on slender, erect stems. 1 ft. June-July.	1.50	10.00
AUBRIETIA		
deltoidea. A dwarf, free flowering rock plant with pale lavender flowers. 4 inches. April-May.	2.00	12.00
BOCCONIA		
cordata. (Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bearing panicles of creamy white flowers. 6-8 ft. July-August.	1.25	8.00

Per Doz.—Per 100

BOLTONIA

asteroides. A tall aster-like plant of vigorous habit, more suitable for naturalizing than for the border. White flowers. 6 ft. September.	1.25	8.00
latisquama. Not so strong growing as the last. Pink flowers. 5-6 ft. September.	1.25	8.00
“ nana. A somewhat uncommon plant deserving wider recognition. It forms a compact bush, 3 ft. in height, and in September is smothered with dainty pink flowers.	1.50	10.00

CALAMINTHA

alpina. A prostrate rock plant producing a mass of violet-blue flowers borne in clusters. 6 in. July-August.	1.25	8.00
---	------	------

CAMPANULA (Bell flower) One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland.

carpatica. Branching stems bearing cup-shaped, blue flowers, 1½ inches or more in diameter. 1 ft. July-August.	1.25	8.00
“ alba. A white variety of the preceding.	1.25	8.00
glomerata. Clusters of tubular, violet-purple flowers, borne on strong upright stems. 1½ ft. July.	1.50	10.00
Medium (Canterbury Bell) Blue, pink, white; separate.	1.25	8.00
“ Calycanthemum. (Cup and Saucer) Mixed colors	1.25	8.00
persicifolia. Slender, graceful stems studded with blue, cup shaped flowers in June and July. 2½ ft.	1.50	10.00
“ alba. A white variety of the preceding.	1.50	10.00
rotundifolia. (Blue Bells of Scotland) Slender spikes of blue, bell shaped flowers growing from compact tufts of bright green foliage. 9 inches. June-July.	1.50	10.00

Per Doz.—Per 100

CARNATION, BORDER. (<i>Dianthus carophyllus</i>) We can supply these popular favorites in the following colors, separate; red, rose, salmon, violet, yellow, white.	1.50	10.00
--	------	-------

CARYOPTERIS

mastacanthus. (<i>Blue Spirea</i>) A compact, free flowering plant of sub-shrubby habit with attractive gray foliage; it is covered during fall with trusses of lavender-purple flowers.	2.00	12.00
---	------	-------

CENTAUREA

marcephala. A stately plant of robust habit, bearing large, globular heads of golden yellow flowers. 4-5 ft. July-August.	1.25	8.00
montana. Woolly foliage and bright blue flowers. 1½ ft. June-July.	1.25	8.00
“ alba. A white variety of the last.	1.25	8.00

CERASTIUM

tomentosum. Forms a carpet of silvery foliage which is covered in May with pure white flowers.	1.50	10.00
---	------	-------

CHELONE

Lyoni. A very free flowering plant bearing large, deep pink Pentstemon-like flowers on sturdy erect stems. 2 ft. July-September.	1.25	8.00
---	------	------

CHRYSANTHEMUM

Leucanthemum fl. pl. An uncommon plant bearing pure white, double flowers in June and July, valuable for cutting. 1½-2 ft.	1.25	8.00
maximum. (<i>Shasta Daisy</i>) A useful plant for cutting. The large, white daisy-like flowers are produced over a long period. 2 ft. June-September.	1.25	8.00

COREOPSIS

grandiflora. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout summer.	1.25	8.00
---	------	------

	Per Doz.—Per 100	
DELPHINUM		
Belladonna. An invaluable plant for cutting; sky-like flowers in great profusion from June until frost. 2 ½-3 ft.	1.25	8.00
Bellamosum. Similar in habit and growth to the above, but having dark blue flowers.	1.25	8.00
formosum. Dark blue flowers with white centers; vigorous habit. 3-4 ft.	1.50	10.00
grandiflorum. (chinense) Gentian-like flowers; finely divided foliage. 2 ft. June-September.	1.25	8.00
“ album. A white variety of the last.	1.25	8.00
Lamartine. Rich blue flowers with white centers. 2 ½ ft.	2.00	12.00
Mixed Hybrids. Raised from seed saved from a first class strain.	2.00	12.00
DIANTHUS		
alpinus. A lovely dwarf Alpine with deep pink flowers close down to the foliage which they entirely hide in May and June. 4 inches.	2.50	15.00
Allwoodi Jean. White flowers with crimson centers. 1 ft. June-October.	1.50	10.00
“ Joyce. Rose pink with red centers. 1 ft. June-October.	1.50	10.00
arenarius. A desirable rock plant of compact, tufted habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems.	1.50	14.00
deltoides. (Maiden Pink) A trailing, pink flowered rock plant, also useful for border edging. June-July.	1.25	8.00
“ album. A white variety of the foregoing.	1.25	8.00
“ Brilliant. A vivid crimson variety, the flowers are shown to great advantage against the dark green foliage.	1.25	8.00
neglectus. A choice and beautiful Alpine; bright carmine flowers with a buff reverse. 6 inches. May-June.	3.00	20.00

Per Doz.—Per 100

DIANTHUS (Continued)

plumarius. A first rate mixture of fragrant, beautifully frilled flowers. varying in color from white to crimson. 1 ft. May-June.	1.25	8.00
“ Miss Gladys Cranfield. Compact tufts of gray foliage and large, flat rosy lilac flowers with velvety maroon centers. 1 ft. May-June.	1.50	10.00

DIELYTRA

formosa. Dainty fern-like foliage and pendulous lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August.	1.50	10.00
---	------	-------

DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.

gloxinaeflora. Pink, purple, white; separate.	1.25	8.00
gloxinaeflora, The Shirley. A new strain raised by the Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deepest rose.	1.25	8.00

ECHINACEA

purpurea. A distinct plant of uncommon beauty. Large, pinkish-purple flowers having cone shaped, orange red centers are borne on strong, straight stems, 3 to 4 feet in height. July-August.	1.50	10.00
---	------	-------

ECHINOPS (Globe Thistle) Vigorous and stately plants, attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.

Ritro. Globular heads of glistening blue flowers. 4 ft. July-August	1.25	8.00
sphaerocephalus. Heads of grayish white flowers. 4 ft. July-August.	1.25	8.00

ERIGERON

speciosus. A free flowering and vigorous plant bearing medium sized, purplish-lilac flowers. Good for cuttng. 2 ft. July-August.	1.50	10.00
---	------	-------

Per Doz.—Per 100

ERINUS

alpinus. A dwarf, dainty rock plant of tufted habit bearing pink flowers in May. 6 inches.	1.50	10.00
“ albus. A white variety of the last.	1.50	10.00

ERYNGIUM (Sea Holly)

planum. Small flower heads and steely blue stems. Good for cutting and drying. 2 ½ ft. July-August.	1.25	8.00
--	------	------

EUPATORIUM

coelestinum. Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratum-like flowers from August to October. 2 ft.	1.25	8.00
Fraseri. Feathery white flowers. 2 ft. July-September.	1.25	8.00

EUPHORBIA (Spurge)

corollata. The value of this plant for cutting is not fully appreciated. It is well adapted for shipping and its small pure white flowers take the place of <i>Gypsophila paniculata</i> when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 1 ½ to 2 ft. August-September.	1.25	8.00
---	------	------

FUNKIA

undulata variegata. Creamy white and green variegated leaves.	1.50	10.00
--	------	-------

GAILLARDIA

grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivaled. 2 ft. June-September.	1.25	8.00
The Dazzler. A recent introduction, producing large, bright golden yellow flowers with red maroon centers. Its strong, straight, erect stems make it a valuable variety for cutting.	1.50	10.00

GERANIUM

sanguineum. Forms a thick mass of prostrate stems and bears a profusion of saucer shaped, blood red flowers. 1 ft. June-August.	1.50	10.00
--	------	-------

		Per Doz.—Per 100
GEUM		
Lady Stratheden. A new variety similar in habit and growth to the well known Geum Mrs. Bradshaw. It bears large, old gold, double flowers. 2 ft. May-June.	1.50	10.00
Mrs. Bradshaw. One of the most striking of hardy plants. Slender, branching stems are produced from tufts of evergreen foliage and bear large, rich scarlet, double flowers in great profusion. 2 ft. May-June.	1.50	10.00
GYPSOPHILA		
cerastioides. A choice rock plant forming a dense mat of foliage, thickly studded in spring with large, lilac flowers veined with pink. 3 inches.	2.50	15.00
Ehrlei. The most valuable hardy plant for cutting that has been introduced for many years. It is quite distinct from Gypsophila paniculata fl. pl. and flowers earlier than that variety. After the main crop of bloom is past, a continuous succession of flower spikes are produced until frost. Strong field-grown grafted plants.	3.00	22.50
paniculata. Cloud-like masses of small white flowers. One of the most popular and useful plants for cutting. 2½ ft. July.	1.25	8.00
repens. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small white flowers. June-July.	1.25	8.00
repens monstrosa. A stronger growing and more erect variety of the preceding. Very useful for cutting. 1 ft. May-June.	1.50	10.00
HELENIUM. Strong growing plants, valuable for producing late summer effects in woodland or herbaceous border. Also useful as a cut flower.		
autumnale Riverton Gem. Rich mahogany-red flowers.	1.50	10.00
“ Gartensonne. A new variety having clear yellow flowers... 4 ft. August-September.	2.00	12.00
“ superbum. Yellow. 4 ft. August-September.	1.50	10.00
Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July.	1.50	10.00

Per Doz.—Per 100

HELIANTHEMUM. (Rock or Sun Rose) Dwarf ever-green shrubs of spreading habit, which for freedom of flowering and brilliance of coloring are equalled by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June.

Fireball. Brilliant scarlet. 9 inches.	2.00	12.00
macranthum. Large creamy white. 6 inches.	2.00	12.00
Mrs. Earle. Double scarlet flowers. 9 inches.	2.00	12.00
praecox. Large, soft yellow flowers. Silvery foliage. 9 inches.	2.00	12.00
rhodanthum carneum. Very large, clear pink flowers. silvery foliage. 9 inches.	2.00	12.00
Rose Queen. Large, single pink flowers. 9 inches.	2.00	12.00

HELIANTHUS

mollis. Handsome foliage thinly covered with silvery down and large lemon yellow flowers. 9 ft. August-September.	1.50	10.00
--	------	-------

HELIOPSIS

Pitcheriana. Golden yellow flowers, throughout the summer. 3 ft.	1.25	8.00
---	------	------

HEMEROCALLIS

Dr. Regel. Fragrant, orange-yellow, lily like flowers. 1½ ft. May.	1.50	10.00
Thunbergi. Clear yellow flowers. 3 ft. July.	1.50	10.00

HERNIARIA

glabra. A prostrate green carpet which remains green during winter. 1½ ft.	1.25	8.00
---	------	------

HESPERIS

matronalis. Sweetly scented, purple flowers freely produced during summer. 1½ ft.	1.25	8.00
“ albus. A white variety of the last.	1.25	8.00

HIBISCUS (Mallow)

Marvel Mallows. Pink, red, white separate.	1.50	10.00
---	------	-------

HYPERICUM

olympicum. A rare rock plant, gray-foliage and very large, yellow flowers. 6 in. June-July.	2.50	15.00
--	------	-------

Per Doz.—Per 100

IBERIS (Candytuft)

scmpervirens. An invaluable and popular spring flowering plant of dwarf and compact habit, bearing masses of snow white flowers produced in large trusses. 9 in. April-May.	1.25	8.00
“ Little Gem. A miniature form of the above, being entirely covered in early spring with snow white flowers. 6 inches.	2.00	12.00

INULA

ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft.	1.50	10.00
---	------	-------

IRIS

cristata. A dwarf fairy-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in. May.	1.50	10.00
Japanese. Mixed.	1.50	10.00
pumila cyanea. Violet-purple. 9 in. May.	1.25	8.00
“ The Bride. Pure white. 6 in. May.	1.25	8.00
sibirica. Graceful, slender, grass-like foliage and violet-blue flowers on long stems. An excellent plant for moist situations. 3 ft. May-June.	1.25	8.00
“ Snow Queen. Large, snow-white, well formed flowers.	1.25	8.00

LATHYRUS (Perennial Sweet Pea)

latifolius albus. A vigorous climber. White flowers.	1.50	10.00
“ roseus. A pink variety.	1.50	10.00

LAVANDULA (Sweet Lavender)

vera. A popular old-fashioned plant with fragrant blue flowers and foliage. 1½-2 ft. June-July.	1.25	8.00
“ Munstead Variety. A dwarf, compact form of the foregoing. Good for edging or the rock garden. 9 inches. May-June.	2.50	15.00

LEONTOPODIUM

alpinum (Edelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense, white woolly substance. 6 in. May-June.	1.50	10.00
--	------	-------

	Per Doz.—Per 100	
LIATRIS		
pycnostachya. Long slender stems with rosy purple flowers. 4-5 ft. July-August.	1.25	8.00
LINUM (Flax)		
perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.	1.25	8.00
“ alba. A white variety of the above.	1.25	8.00
LYCHNIS		
alpina. Compact cushions of rich green leaves studied in April and May with heads of pink flowers.	1.50	10.00
chalcidonica. (Jerusalem Cross) Stout leafy stems bearing large, flat heads of bright scarlet flowers. 2-3 ft. July-August.	1.25	8.00
“ alba. A white variety of the above.	1.25	8.00
LYSIMACHIA		
nummularia.. A prostrate trailer, spangled during spring and early summer with large, clear yellow flowers.	1.25	8.00
LYTHRUM		
virgatum Rose Queen. A shapely bush formed of many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July-September.	1.50	10.00
MAZUS		
rugosus. A prostrate grower forming a dense, green carpet, studded in spring with large violet flowers spotted with gold.	1.50	10.00
MERTENSIA		
virginica (Virginian Cowslip) One of the most beautiful of spring flowering plants. It forms large, glaucous gray leaves and bears drooping clusters of clear blue flowers. 1½ ft. May.	2.00	12.00
MONARDA		
didyma. (Bergamot) Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August.	1.25	8.00
MYOSOTIS		
palustris semperflorans. The well known and popular Forget-me-not.	1.25	8.00

Per Doz.—Per 100

NEPETA

Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.	1.50	10.00
--	------	-------

OENOTHERA (Evening Primrose)

missouriensis. A fine trailing plant with very large, pale yellow flowers, five or six inches in diameter. One of the best perennials for rock garden or border. June-September.	1.25	10.00
---	------	-------

ONOSMA

stellulatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping amber-colored, drop shaped blossoms. It should be given a sunny, well drained position. 1 ft.	3.00	20.00
---	------	-------

PARADANTHUS (Blackberry Lily)

chinensis. Bright orange,, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.	1.25	8.00
--	------	------

PAPAVER

alpinum. A dwarf, miniature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.	1.50	10.00
nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.	1.50	10.00
orientale. Large scarlet flowers. 3 ft. May-June.	1.50	10.00
“ Olympicum. The only double form of the Oriental Poppy. Rich scarlet flowers. 2½ ft.	2.00	12.00

PENTSTEMON

barbatus Torreyi. Graceful tapering stems covered with large, tubular, scarlet flowers. 4 ft. June-August.	1.25	8.00
Digitalis. White tubular flowers with purple throat. Good for cutting. 2-3 ft. June-July.	1.25	8.00

Per Doz.—Per 100

PHLOX. One of the most important families of hardy perennials and one that should be well represented in every collection. Phloxes are best suited by a deep, well manured soil and abundance of water.

Antonin Mercier. Soft lilac blue with white center. 2 ft.	1.25	8.00
Bacchante. Fiery pink with crimson eye. 2½ ft.	1.25	8.00
B. Comte. Brilliant French purple. 1½ ft.	1.25	8.00
Baron van Dedem. Glowing crimson. 2 ft.	1.25	8.00
Beacon. Bright cerise. 2 ft.	1.25	8.00
Bridesmaid. White with rose crimson eye. 2½ ft.	1.25	8.00
Enchantress. Salmon pink. 2 ft.	1.50	10.00
Europa. White with carmine eye. 2½ ft.	1.25	8.00
Geffion. Soft pink with rose eye. 2½ ft.	1.25	8.00
La Vogue. Pinkish mauve. 2½ ft.	1.25	8.00
Mia Ruys. The best white Phlox.	1.50	10.00
Mrs. Jenkins. Pure white; large trusses. 2½ ft.	1.25	8.00
Rijnstroom. Rose-pink, very large individual flowers. 2½ ft.	1.50	10.00
Rosenberg. Carmine violet with reddish eye. 2 ft.	1.25	8.00
R. P. Struthers. Rosy red with crimson eye. 2 ft.	1.25	8.00
Sunshine. Deep salmon-rose. 2 ft.	1.25	8.00
suffruticosa Miss Lingard. A good variety for cutting; pyramidal trusses of white flowers with faint lilac eye. 2½ ft. June-September.	1.25	8.00
Thor. Very large trusses of dazzling pink flowers. ½ ft.	1.25	8.00
W. C. Egan. Large pink flowers. 2½ ft.	1.25	8.00
Widar. Reddish-violet flowers with white centers. 2½ ft.	1.25	8.00

PHLOX, Dwarf varieties

amoena. Compact glossy green foliage and masses of vivid pink flowers in April and May. 9 in.	1.50	10.00
divaricata. Trusses of large, fragrant, lavender-blue flowers. 9 in. May.	1.50	10.00
subulata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 in.	1.25	8.00

Per Doz.—Per 100

PHLOX (Continued)

subulata atrolilacina. Masses of deep lilac flowers entirely cover the plants during April and May. The flowers of this plant are the nearest approach to blue of any variety of this type of Phlox.	2.00	12.00
subulata G. F. Wilson. One of the best and most floriferous of spring flowering plants. Mats of glossy foliage completely hidden by sheets of starry, lavender flowers in April and May. 6 in.	2.00	12.00
“ lilacina. A lilac variety.	1.25	8.00
“ rosea. A pink variety.	1.25	8.00

PHYSALIS (Winter Cherry)

Franchetti. Bright orange bladder-like calyces enclosing a cherry-like fruit. Valuable for drying for winter decoration. 2 ft. October.	1.25	8.00
--	------	------

PHYSOSTEGIA

virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-August.	1.25	8.00
“ alba. A white variety of the foregoing.	1.25	8.00
“ grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large, brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by its being an addition to the very new dwarf late flowering plants. August-September.	1.25	8.00

PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferous and delicious fragrance. 12 to 15 inches. May-June.	1.25	8.00
Excelsior. Delicate rose pink.	1.25	8.00
Her Majesty. Pure white; large flowers.	1.25	8.00
Homer. Deep rose with darker center.	1.25	8.00
Juliette. White, laced crimson.	1.25	8.00
Lord Lyons. Deep rose.	1.25	8.00
White Reserve. Pure white; perpetual flowering.	1.25	8.00

	Per Doz.—Per 100	
PLATYCODON (Balloon Flower)		
grandiflorum. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October.	1.25	8.00
“ album. A white variety of the above.	1.25	8.00
PLUMBAGO		
Larpentae. (Leadwort) Forms compact tufts of innumerable wiry stems, each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October.	1.50	10.00
POLEMONIUM		
Richardsoni. Neat tufts of vivid green foliage and erect spikes of pale blue flowers. 2 ft. May.	1.25	8.00
POTENTILLA		
Willmottae. A distinct and pretty rock plant with brilliant cherry red flowers. 6 inches. June-August.	1.50	10.00
PYRETHRUM		
roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June.	1.25	8.00
RANUNCULUS		
acris fl. pl. This plant is too often confused with the following variety which is generally sold for it. Of late years it has become very scarce and we are pleased to be able to offer the true plant. The glistening yellow flowers are small and very double and are borne on strong, erect stems, from 2½ to 3 ft. in height, the whole inflorescence forming a loose pyramid. It is one of the real old-fashioned plants and is equally valuable for border decoration or for cutting. May-June.	1.25	8.00
repens fl. pl. Small, double, yellow flowers on branching stems. Valuable for cutting. 1-1½ ft. April-May.	1.25	8.00
RUDBECKIA		
Golden Glow. Double, deep yellow flowers. 6 ft. July-September.	1.25	8.00
SAGINA		
glabra. Emerald green cushions of moss-like growth covered in spring with myriads of small white flowers. 2 inches.	1.50	10.00

	Per Doz.—Per 100	
SALVIA		
azurea grandiflora. Tall straight stems covered for half their length with sky-like flowers. 4-5 ft. August-September.	1.25	8.00
pratensis. Branching stems of rich, violet-blue flowers. 2 ft. June-July.	1.25	8.00
SANTOLINA (Cotton Lavender)		
incana. An aromatic, compact growing, half shrubby plant with silvery foliage.	1.25	8.00
SAPONARIA		
ocymoides. A good plant for carpeting in the herbaceous border or for trailing down the slopes in the rock garden. Spangled with bright pink flowers in spring.	1.50	10.00
SCABIOSA		
caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems throughout summer. 2½ ft.	2.00	12.00
“ alba. A white variety of the above.	2.00	12.00
SEDUM		
acre. A dwarf grower which quickly forms a thick carpet of vivid green, moss-like foliage and is hidden by yellow flowers in May.	1.25	8.00
album. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 in. An excellent edging plant.	1.25	8.00
anglicum. Small, globular, pale green leaves forming compact tufts. 2 inches.	1.50	10.00
dasyphyllum. A minute species producing masses of short, delicate stems thickly covered with globular, blue gray leaves.	2.00	12.00
hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in.	1.25	8.00
kamtschaticum. Leafy prostrate stems which in July and August bear clusters of star-shaped, orange colored flowers.	1.50	10.00
lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 in.	1.25	8.00
obtusatum. A rare and attractive stone-crop. Small, round, fleshy leaves, dull green in spring but which turn red in summer. Yellow flowers. 4 in. June.	2.00	12.00

	Per Doz.—Per 100	
SEDUM (Continued)		
reflexum. Clusters of golden flowers. 9 in. June-July.	1.25	8.00
sarmentosum. Fleshy leaved, trailer with yellow flowers.	1.25	8.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July.	1.25	8.00
stoloniferum. Large clusters of pink flowers on prostrate, trailing stems. 6 in. June-July.	1.50	10.00
spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-September.	1.25	8.00
“ Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red.	1.50	10.00
SEMPERVIVUM (Houseleek)		
acuminatum. Rosettes of green, fleshy leaves tipped with bronze.	2.00	12.00
arachnoideum (Cobweb Houseleek) Rosettes of succulent, pale green leaves covered with silky hairs resembling a cobweb.	2.50	15.00
SIDALCEA		
Rosy Gem. Rose pink flowers, resembling small Hollyhocks, on erect, wiry stems. 2½ ft. July-August.	2.00	12.00
SILENE		
alpestris. A dainty little rock plant of compact tufted habit, bearing masses of small white flowers. 4 inches. May-June.	1.50	10.00
SPIRAEA		
Filipendula. (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems rising from tufts of fern-like foliage. 2½ ft. June.	1.25	8.00
Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. 2½ ft. June-July.	1.25	8.00
“ fl. pl. A double flowered form of the foregoing and a much superior plant. Excellent for cutting.	1.25	8.00

Per Doz.—Per 100

STOKESIA

cyanea. A showy plant with a lengthy flowering period; large blue flowers on somewhat straggling stems. 1½ ft. August-October.	1.50	10.00
“ alba. A white variety of the foregoing.	1.50	10.00

STATICE

latifolia. (Sza lavender) Branching flower stems bearing countless, small, blue-purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½-2 ft. August-September.	1.50	10.00
---	------	-------

SWEET WILLIAM

Holborn Glory. A choice mixture of all colors.	1.25	8.00
Newport Pink.	1.25	8.00
Scarlet Beauty.	1.25	8.00
White.	1.25	8.00

THALICTRUM

adiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of <i>Gypsophila paniculata</i> before that is available. 2½ ft. June-July.	1.25	8.00
---	------	------

THYMUS

citriodorus argenteus. Forms a compact bush about 9 inches in height. The small leaves are silver variegated and lemon scented.	2.00	12.00
“ aureus. Similar in habit and fragrance to the above but having golden variegated leaves.	2.00	12.00
lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers.	1.50	10.00
Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July.	1.50	10.00
“ coccineus. A scarlet flowered variety.	1.50	10.00

TRITOMA (Torch Lily)

Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October.	2.50	15.00
Mixed Hybrids. A choice mixture, varying from yellow to scarlet.	1.50	10.00

Per Doz.—Per 100

TUNICA

Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September.	1.25	8.00
---	------	------

VALERIANA

officinalis. A strong growing and free flowering plant bearing large heads of faint pink flowers. 3-4 ft. June-July.	1.25	8.00
---	------	------

VERONICA

filiformis. A spreading carpenter, useful for the rock garden.	1.50	10.00
incana. Compact masses of silvery foliage and deep blue flowers. 1 ft. May-June.	1.50	10.00
repens. Carpets of evergreen foliage entirely covered in spring with very pale blue flowers.	1.50	10.00
rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers.	1.25	8.00
spicata. Spikes of blue flowers. 2 ft. June-August.	1.50	10.00
“ rosea. An uncommon pink variety of the foregoing.	1.50	10.00
subsessilis. Stout erect stems of intense blue flowers. 2-3 ft. July-August.	2.00	12.00

VIOLA

Jersey Gem. One of the best hardy plants of recent introduction. It blooms freely and continuously from spring until frost, and the flowers, royal purple in color, are not affected by the sun. Its foliage is a rich, healthy green, and its habit of growth is neat and compact.	1.50	10.00
pedata. (Bird's Foot Violet) Tufts of finely divided leaves and lilac blue flowers. 6 in. April-May.	1.50	10.00

YUCCA

filamentosa. (Adam's Needle) Large rosettes of sword-like leaves, and spikes of white flowers. 6-8 ft. July. Two year plants.	1.50	10.00
--	------	-------

HERBS

Lavender	1.25	8.00
Mint	1.25	8.00
Rue	1.25	8.00
Sage	1.25	8.00
Savory	1.25	8.00
Thyme	1.25	8.00

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose:

<i>Achillea rupestris</i>	<i>Iris pumila</i> The Bride
<i>Achillea tomentosa</i>	<i>Lavandula vera</i> Munstead Variety
<i>Aethionema iberideum</i>	<i>Leontopodium alpinum</i>
<i>Ajuga genevensis</i>	<i>Lychnis alpina</i>
<i>Alyssum argentum</i>	<i>Lysimachia nummularia</i>
<i>Alyssum montanum</i>	<i>Mazus rugosus</i>
<i>Alyssum saxatile compactum</i>	<i>Nepeta Mussini</i>
<i>Anchusa myosotidiflora</i>	<i>Oenothera missouriensis</i>
<i>Anemone Pulsatilla alba</i>	<i>Onosma stellatum</i>
<i>Arabis alpina</i>	<i>Papaver alpinum</i>
<i>Arenaria loricifolia</i>	<i>Papaver nudicaule</i>
<i>Arenaria montana</i>	<i>Phlox amoena</i>
<i>Armeria maritima</i> Lauchiana	<i>Phlox divaricata</i>
<i>Aster alpinus</i>	<i>Phlox subulata alba</i>
<i>Aster alpinus albus</i>	<i>Phlox subulata atrolilacina</i>
<i>Aster subcoeruleus</i>	<i>Phlox subulata G. F. Wilson</i>
<i>Aubrietia deltoidea</i>	<i>Phlox subulata lilacina</i>
<i>Calamintha alpina</i>	<i>Phlox subulata rosea</i>
<i>Campanula carpatica</i>	<i>Plumbago Larpentae</i>
<i>Campanula carpatica alba</i>	<i>Potentilla Willmottae</i>
<i>Campanula glomerata</i>	<i>Sagina glabra</i>
<i>Campanula rotundifolia</i>	<i>Santolina incana</i>
<i>Cerastium tomentosum</i>	<i>Saponaria ocymoides</i>
<i>Dianthus alpinus</i>	<i>Sedum acre</i>
<i>Dianthus arenarius</i>	<i>Sedum album</i>
<i>Dianthus deltoides</i>	<i>Sedum anglicum</i>
<i>Dianthus deltoides albus</i>	<i>Sedum dasyphyllum</i>
<i>Dianthus deltoides Brilliant</i>	<i>Sedum hispanicum</i>
<i>Dianthus neglectus</i>	<i>Sedum kamtschaticum</i>
<i>Erinus alpinus</i>	<i>Sedum lydium</i>
<i>Erinus alpinus albus</i>	<i>Sedum reflexum</i>
<i>Geranium sanguineum</i>	<i>Sedum sarmentosum</i>
<i>Gypsophila cerastoides</i>	<i>Sedum saxangulare</i>
<i>Gypsophila repens</i>	<i>Sedum stoloniferum</i>
<i>Gypsophila repens monstrosa</i>	<i>Sempervivum acuminatum</i>
<i>Helianthemum Fireball</i>	<i>Sempervivum arachnoideum</i>
<i>Helianthemum macranthum</i>	<i>Silene alpestris</i>
<i>Helianthemum Mrs. Earle</i>	<i>Thymus citriodorus argenteus</i>
<i>Helianthemum praecox</i>	<i>Thymus citriodorus aureus</i>
<i>Helianthemum rhodanthemum carneum</i>	<i>Thymus lanuginosus</i>
<i>Herniaria glabra</i>	<i>Thymus Serpyllum albus</i>
<i>Hypericum olympicum</i>	<i>Thymus Serpyllum coccineus</i>
<i>Iberis sempervirens</i>	<i>Tunica Saxifraga</i>
<i>Iberis sempervirens Little Gem</i>	<i>Veronica filiformis</i>
<i>Inula ensifolia</i>	<i>Veronica incana</i>
<i>Iris cristata</i>	<i>Veronica repens</i>
<i>Iris pumila cyanea</i>	<i>Veronica rupestris</i>
	<i>Viola pedata</i>

All plants in the following list are suitable for cutting. A careful selection will provide a supply of flowers from Spring until Fall.

Achillea Ptarmica The Pearl	Liatris pycnostachya
Achillea Ptarmica Boule de Nieve	Pentstemon barbatus Torreyi
Anthemina tinctoria Kelwayi	Phlox Miss Lingard
Armeria Cephalotes	Pink Excelsior
Baptisia australis	Pink Her Majesty
Campanula persicifolia	Pink Homer
Campanula persicifolia alba	Pink Juliette
Chrysanthemum maximum	Pink Lord Lyon
Coreopsis grandiflora	Pink White Reserve
Delphinium Belladonna	Pyrethrum roseum
Delphinium Bellamosum	Ranunculus acris fl. pl.
Eupatorium coelestinum	Scabiosa caucasica
Euphorbia corallata	Scabiosa caucasica alba
Gaillardia grandiflora	Spiraea Ulmaria fl. pl.
Gypsophila paniculata	Statice latifolia
Heliopsis Pitcheriana	Thalictrum adiantifolium
Inula glandulosa	Tritoma Pfitzeri

Prices and descriptions of the plants in the preceding lists will be found in the body of the catalogue.



Hammonton Printing Company



